U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

CE(TION A DDC	PERTY INFORM	IATION	FOR INCURANCE COMPANY HOP
A1. Building Owner's Name Homes of Integrity	FOR INSURANCE COMPANY USE Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, ar	nd/or Pldg. No \ o	r DO Pouto and Pa	w Ma	Company NAIC Number:
225 Beckley Drive	idy or Bidg. No.) C			
City Richmond Hill		State Ga		ZIP Code 31324
A3. Property Description (Lot and Block Numbers, Tax Par Lot 134, Claybourn Subdivision, Phase 12 of to	he Richmond H	ill Plantation		
 Building Use (e.g., Residential, Non-Residential, Addit Latitude/Longitude: Lat, 31 5438 	ion, Accessory, et Long, 81.1		Vorizontal	Datum: ☐ NAD 1927 ☒ NAD 198
A6. Attach at least 2 photographs of the building if the Ce			d insurance.	Datum: ☐ NAD 1927 ☑ NAD 198
A7. Building Diagram Number 1B				
For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s)	n/a	100 to 10	r a building with an at Square footage of at	100
 Number of permanent flood openings in the crawls or enclosure(s) within 1.0 foot above adjacent gra 	space n/a	100	Number of permaner	nt flood openings in the attached garage
c) Total net area of flood openings in A8.b	n/a	sq in c)	within 1.0 foot above Total net area of floo	
d) Engineered flood openings? ☐ Yes ☒ No			Engineered flood ope	~
	OD INSURANC	E RATE MAP (F	TRM) INFORMATIO	N
B1. NFIP Community Name & Community Number City of Richmond Hill 130018		ounty Name		B3. State
B4. Map/Panel Number B5. Suffix B6. FIRM Inde	Brya x Date B7, F	n IRM Panel Effective	/ B8. Flood Zone(s	Ga B9. Base Flood Elevation(s) (Zone
13029C0291 C 05/05/20	R	evised Date 03/02/2009	AE	AO, use base flood depth)
B10. Indicate the source of the Base Flood Elevation (BFE)			Item B9:	
☐ FIS Profile ☑ FIRM ☐ Community Determine B11. Indicate elevation datum used for BFE in Item B9:	d □ Other/So □ NGVD 1929	urce: NAVD 1988	[] Other/Causes	
B12. Is the building located in a Coastal Barrier Resources	1.00			
Designation Date:/ CE				LI 100 MINO
SECTION C - BUILD	NG ELEVATION	NINFORMATION	(SURVEY REQUIR	RED)
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when con		☐ Building Unde uilding is complete	r Construction*	☑ Finished Construction
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, N C2.a–h below according to the building diagram specif	struction of the b /1–V30. V (with B	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e	AE, AR/A1–A30, AR/A enter meters.	Section (Section Control of Contr
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK	struction of the b /1-V30, V (with B ied in Item A7. In	uilding Is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: .	AE, AR/A1–A30, AR/A enter meters. NAVD1988	H, AR/AO. Complete Items
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, N C2.a–h below according to the building diagram specif	struction of the b /1–V30, V (with B ied in Item A7. In ms a) through h)	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. \(\sqrt{NGVD 1} \)	AE, AR/A1-A30, AR/A enter meters. NAVD1988 929 🛛 NAVD 1988	H, AR/AO. Complete Items
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specif Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item	struction of the b /1_V30, V (with B led in Item A7. In ms a) through h) as that used for	uilding is complete FE), AR, AR/A, AR/A, Puerto Rico only, Vertical Datum: below. NGVD 1 the BFE.	AE, AR/A1-A30, AR/A Inter meters. NAVD1988 929 NAVD 1988 Check the m	H, AR/AO. Complete Items
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same	struction of the b /1_V30, V (with B led in Item A7. In ms a) through h) as that used for	uilding Is complete FE), AR, AR/A, AR/A, Puerto Rico only, e Vertical Datum: below. NGVD 1 the BFE. por) 14 2	AE, AR/A1—A30, AR/A Inter meters. NAVD1988 929 NAVD 1988 Check the me	H, AR/AO. Complete Items Other/Source:
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of the same and the	struction of the b /1_V30, V (with B ied in Item A7. In ms a) through h) as that used for the	uilding Is complete FE), AR, AR/A, AR/A, Puerto Rico only, e Vertical Datum: below. NGVD 1 the BFE. oor)	AE, AR/A1—A30, AR/Alenter meters. NAVD1988 929 NAVD 1988 Check the miles Check the mil	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of Attached garage (top of slab)	struction of the b /1_V30, V (with B ied in Item A7. In ms a) through h) as that used for e, or enclosure fic	uilding Is complete FE), AR, AR/A, AR/A, Puerto Rico only, e Vertical Datum: . below.	AE, AR/A1—A30, AR/Alenter meters. NAVD1988 929 NAVD 1988 Check the miles of the second sec	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of the same and the	struction of the b /1_V30, V (with B ied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) ing the building	uilding Is complete FE), AR, AR/A, AR/A, Puerto Rico only, e Vertical Datum: below. NGVD 1 the BFE. oor)	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters in the meters in the meters. Check the meters in	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of the diagrage (top of slab) e) Lowest elevation of machinery or equipment servici	struction of the b /1_V30, V (with B ied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) ing the building ents)	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below.	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (Lig) Highest adjacent (finished) grade next to building (Finished)	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) ing the building ents) AG) (AG)	uilding is complete FE), AR, AR/A, AR/. Puerto Rico only, e Vertical Datum: . below.	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters of the me	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in itel Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (Lowest adjacent (finished) grade next to building (Lowest adjacent (finished) grade next to building (Lowest adjacent)	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) ing the building ents) AG) (AG)	uilding is complete FE), AR, AR/A, AR/. Puerto Rico only, e Vertical Datum: . below.	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters of the meters of the meters. Check the meters of	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (L) g) Highest adjacent grade at lowest elevation of deck of the control of the co	struction of the b /1_V30, V (with B led in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) Ing the building ents) AG) AG) AG)	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: below. □ NGVD 1 the BFE. or)	AE, AR/A1—A30, AR/A Inter meters. NAVD1988 929 NAVD 1988 Check the meters in the second in the se	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (Lug) Highest adjacent (finished) grade next to building (h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the e, or enclosure flo (V Zones only) mg the building ents) AG) lAG) or stairs, including error, engineer, or an oresents my best	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. NGVD 1 the BFE. Nor)	AE, AR/A1—A30, AR/A Anter meters. NAVD1988 929 NAVD 1988 Check the many of the feet of	H, AR/AO. Complete Items Other/Source: easurement used. meters meters meters meters meters meters meters meters meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V. C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (L) g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land survey information. I certify that the Information on this Certificate regionalers and survey information. I certify that the Information on this Certificate regionalers.	struction of the b /1_V3O, V (with B lied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) Ing the building ents) AG) IAG) or stairs, including eryor, engineer, or an oresents my best the or imprisonments.	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. □ NGVD 1 the BFE. or)	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters of feet o	H, AR/AO. Complete Items Other/Source: easurement used. meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (Lug) Highest adjacent (finished) grade next to building (h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV	struction of the b /1_V3O, V (with B lied in Item A7. In ms a) through h) as that used for the c, or enclosure flo (V Zones only) Ing the building ents) AG) IAG) or stairs, including eryor, engineer, or an oresents my best the or imprisonments.	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. NGVD 1 the BFE. Nor)	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters Signature feet feet feet feet feet feet feet fe	H, AR/AO. Complete Items Other/Source: easurement used. meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V. C2.a-h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (Lug) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land survey information. I certify that the Information on this Certificate region derivation of the comments are provided on back of form. Check here if comments are provided on back of form. Check here if attachments.	struction of the b /1_V30, V (with B led in Item A7. In ms a) through h) as that used for the e, or enclosure flo (V Zones only) Ing the building ents) AG) AG) AG) FYOR, ENGINE To, engineer, or an oresents my best the or imprisonme. Were latitude a	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. NGVD 1 the BFE. Nor)	AE, AR/A1—A30, AR/A Anter meters. NAVD1988 929 NAVD 1988 Check the mi feet feet feet feet y feet y law to certify elevation a provided by a feet in No Note Number	H, AR/AO. Complete Items Other/Source: Descurement used. meters Mon. 2468
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (Lig) Highest adjacent (finished) grade next to building (h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land survey information. I certify that the Information on this Certificate refunderstand that any false statement may be punishable by file Check here if comments are provided on back of form. Certifier's Name Thomas W Hurley Title	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the as that used for the c, or enclosure flow (V Zones only) mg the building ents) AG) lAG) or stairs, including eryor, engineer, or an or, engineer, or an oresents my best me or imprisonme Were latitude a licensed land s	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. NGVD 1 the BFE. or)	AE, AR/A1—A30, AR/A Anter meters. NAVD1988 929 NAVD 1988 Check the many of the section of the	H, AR/AO. Complete Items Other/Source: Description: Des
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V. C2.a-h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Common f) Lowest adjacent (finished) grade next to building (Lug) Highest adjacent (finished) grade next to building (h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land survey information. I certify that the Information on this Certificate reglanderstand that any false statement may be punishable by file Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Thomas W Hurley Title Land Surveyor Address	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the e, or enclosure flo (V Zones only) ing the building ents) AG) lAG) or stairs, including eryor, engineer, or an oresents my best the or imprisonme. Were latitude a licensed land s Company Name EMC Engine City	uilding is complete FE), AR, AR/A, AR/A Puerto Rico only, e Vertical Datum: . below. NGVD 1 the BFE. Nor)	AE, AR/A1—A30, AR/A enter meters. NAVD1988 929 NAVD 1988 Check the meters of feet o	H, AR/AO. Complete Items Other/Source: easurement used. meters
*A new Elevation Certificate will be required when con C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, VC2.a-h below according to the building diagram specific Benchmark Utilized: EGPS NETWORK Indicate elevation datum used for the elevations in itel Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member of d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servici (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (L) g) Highest adjacent (finished) grade next to building (L) g) Highest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land surveyinformation. I certify that the Information on this Certificate refunderstand that any false statement may be punishable by fix Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Thomas W Hurley Title Land Surveyor	struction of the b /1_V3O, V (with B ied in Item A7. In ms a) through h) as that used for the e, or enclosure flow (V Zones only) mg the building ents) AG) lAG) or stairs, including EYOR, ENGINE or, engineer, or an oresents my best me or imprisonme Were latitude a licensed land s Company Name EMC Engine	uilding is complete FE), AR, AR/A, AR/A, Puerto Rico only, e Vertical Datum: below. NGVD 1 the BFE. Nor)	AE, AR/A1—A30, AR/A Anter meters. NAVD1988 929 NAVD 1988 Check the many of the second of the seco	H, AR/AO. Complete Items Other/Source: Descurement used. meters Mon. 2468

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the co				FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit 225 Beckley Drive	, Suite, and/or Bldg. No.) or P	O. Route and Box No		Policy Number:
City	State	ZIP Code		Company NAIC Number:
Richmond Hill	Ga	31324		
SECTION D -	SURVEYOR, ENGINEER,	OR ARCHITECT O	ERTIFICATION (CONTINUED)
Copy both sides of this Elevation Certificate	for (1) community official, (2)	insurance agent/cor	npany, and (3) build	ing owner.
Comments C2e is a/c pad				
	, ,			
Signature The W. A	fa hy	Date 10/14		
SECTION E - BUILDING ELEVATI	ON INFORMATION (SURV	EY NOT REQUIRE	D) FOR ZONE A	O AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete For Items E1–E4, use natural grade, if availa	ble. Check the measurement (ised. In Puerto Rico	only, enter meters.	
E1. Provide elevation information for the follograde (HAG) and the lowest adjacent gra	de (LAG).		ether the elevation	is above or below the highest adjacent
a) Top of bottom floor (including baseme				
b) Top of bottom floor (including baseme				
E2. For Building Diagrams 6–9 with permane the next higher floor (elevation C2.b in the	nt 11000 openings provided in 8	Section A Items 8 an		
E3. Attached garage (top of slab) is	c diagrams) of the boilding is		- □ feet □ me - □ feet □ me	
E4. Top of platform of machinery and/or equ	pment servicing the building is	3		
E5. Zone A0 only: If no flood depth number is ordinance? Yes No Unknown	s available, is the top of the bo vn. The local official must certi	ettom floor elevated in this information in	n accordance with to Section G.	he community's floodplain management
SECTION F -	PROPERTY OWNER (OR C	WNER'S REPRE	SENTATIVE) CER	TIFICATION
he property owner or owner's authorized rep one AO must sign here. The statements in S	resentative who completes Se	ctions A R and F fo	r Zone A (without a	
Property Owner or Owner's Authorized Repres				
Address		City	St	tate ZIP Code
Signature		Date	Te	elephone
Comments	-			
				_
	CECTION O CORRESPONDE			Check here if attachments.
The local official who is authorized by law or on	SECTION G - COMMUNIT			
of this Elevation Certificate. Complete the ap	iplicable item(s) and sign below	. Check the measure	ment used in Items	G8-G10. In Puerto Rico only, enter meters
 The information in Section C was ta who is authorized by law to certify e 	ken from other documentation	that has been sign	ed and sealed by a	licensed surveyor, engineer, or architec
62. A community official completed Section	on E for a building located in Z	one A (without a FEN	MA-issued or commi	ata in the Comments area below.)
3. The following information (Items G4-	-G10) is provided for commun	ity floodplain manag	ement purposes.	ing locate bit by or zone Ao.
4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate Of	Compliance/Occupancy Issued
7. This permit has been issued for:	lew Construction Subst	antial Improvement		
8. Elevation of as-built lowest floor (including	g basement) of the building:		☐ feet ☐ mete	
9. BFE or (in Zone AO) depth of flooding at	the building site:		☐ feet ☐ mete	
10. Community's design flood elevation:			☐ feet ☐ mete	rs Datum
ocal Official's Name		Title		
ommunity Name		Telephone		
gnature		Date		
omments	***			
		-		
				Charlebare W.
MA Form 000 0 00 (Park of 7/40)				Check here if attachments.

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., 225 Beckley Drive	Policy Number:			
City Richmond Hill	State Ga	ZIP Code 31324	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front View



Front Right View



Front Left View



Rear View